

Typed Resource Definitions

Health and Medical Resources



FEMA 508-5

May 2005



- Background The National Mutual Aid and Resource Management Initiative supports the National Incident Management System (NIMS) by establishing a comprehensive, integrated national mutual aid and resource management system that provides the basis to type, order, and track all (Federal, State, and local) response assets.
- Resource For ease of ordering and tracking, response assets need to be categorized via resource typing. Resource typing is the categorization and description of resources that are commonly exchanged in disasters via mutual aid, by capacity and/or capability. Through resource typing, disciplines examine resources and identify the capabilities of a resource's components (i.e., personnel, equipment, training). During a disaster, an emergency manager knows what capability a resource needs to have to respond efficiently and effectively. Resource typing definitions will help define resource capabilities for ease of ordering and mobilization during a disaster. As a result of the resource typing process, a resource's capability is readily defined and an emergency manager is able to effectively and efficiently request and receive resources through mutual aid during times of disaster.
- Web Site For more information, you can also refer to the National Mutual Aid and Resource Management Web site located at:

http://www.fema.gov/nims/mutual_aid.shtm.

Supersedure This document replaces the Health and Medical resource definition section in *Resource Definitions*, dated September 2004

Changes Document is reformatted. Content is unchanged.



Table of Contents

| Background | 2 |
|---|----|
| Resource Typing | 2 |
| Web Site | 2 |
| Supersedure | 2 |
| Changes | 2 |
| Disaster Medical Assistance Team (DMAT)—Basic | 4 |
| Disaster Medical Assistance Team (DMAT)—Burn Specialty | 6 |
| Disaster Medical Assistance Team (DMAT)—Crush Injury Specialty | 7 |
| Disaster Medical Assistance Team (DMAT)—Mental Health Specialty | 8 |
| Disaster Medical Assistance Team (DMAT)—Pediatric Specialty | 9 |
| Disaster Mortuary Operational Response Team (DMORT) | 10 |
| International Medical Surgical Response Team (IMSuRT) | 11 |
| NDMS Management Support Team (MST) | 12 |
| Veterinary Medical Assistance Team (VMAT) | 13 |



| RESOURCE: | RESOURCE: Disaster Medical Assistance Team (DMAT)—Basic | | | | | | | | |
|---------------------------|---|---|---|---|--|-------|--|--|--|
| CATEGORY: | Health & Me | dical (ESF #8) | | KIND: Tea | am | | | | |
| | PABILITIES: | Түре І | TYPE II | TYPE III | TYPE IV | OTHER | | | |
| COMPONENT | METRIC | ITPET | | | ITPEIV | OTHER | | | |
| Team See Note 1 | Patient-care Capabilities | Same as Type II | Triage and treat up to 250 patients per day for up to 3 days without resupply | Augment or supplement Type I or II team within this team's local area | Personnel may be used to supplement other teams | | | | |
| Team Readiness | Roster Fulfillment, Equipment Loading | Upon alert, full 35-person roster within 4 hrs. After activation, deployment ready within 6 hrs | Upon alert, full roster within 6 hrs. After activation, deployment ready within 12 hrs | Upon alert, 75% rostered within 12 hrs. After activation, deployment ready within 24 hrs | Does not meet minimal deployable team requirements | | | | |
| Demonstrated Readiness | Readiness Testing and Deployment History | Same as Type II plus: History of prior full deployment to austere environment | 100% rating on NDMS readiness test in past 12 mos | 75% or greater rating on NDMS readiness test in past 12 mos | Less than Type III | | | | |
| Personnel See Note 2 | Membership Level | 105 or more deployable team personnel on NDMS roster 12 or more physicians; 3 or more of each of PA or NP, RN, RPh, and paramedic | 90 or more deployable team personnel on NDMS roster 9 or more physicians; 3 or more of each of PA or NP, RN, RPh, and paramedic | 50 or more deployable team personnel on NDMS roster 6 or more physicians; 2 or more of each of PA or NP, RN, RPh, and paramedic | Less than Type III | | | | |
| Equipment and Supplies | Logistics Status | Same as Type II | Full DMAT equipment cache properly managed, stored and inventoried per NDMS requirements | Full or partial DMAT equipment cache properly managed, stored, and inventoried per NDMS requirements | Less than partial cache | | | | |
| Vehicle | Transportation Status | Same as Type II | Pre-arrangement for obtaining primary and alternate use vehicles | Incomplete transportation arrangements | None | | | | |
| Didactic Training | Basic (Core) and Advanced Training Modules | 90% completion of NDMS basic core training plus 50% of advanced training modules (By 08/05) | 80% completion of NDMS basic core training plus 25% of advanced training modules (By 08/05) | 50% completion of NDMS basic core training plus 25% of advanced training modules (By 08/05) | Less than Type III | | | | |



| RESOURCE: | | Disaster Medical Assistance Team (DMAT)—Basic | | | | | | | | |
|------------------------|---|---|--|--|------------------------------------|------------------------------|--|--|--|--|
| CATEGORY: | Health & Medical (ESF #8) KIND: Team | | | | | | | | | |
| MINIMUM CA | PABILITIES: | Түре І | Type II | | TYPE IV | | | | | |
| COMPONENT | METRIC | ITPEI | I YPE II | I YPE III | ITPEIV | OTHER | | | | |
| Training experience | Field Exercises (FEXs) | Same as Type II | Participate in at least 2 NDMS approved FEXs, one observed | Participate in at least 1 NDMS approved FEX | N/A | | | | | |
| COMMENTS: | ITS: Definition: A DMAT is a volunteer group of medical and nonmedical individuals, usually from the same State or region of a State, who have formed a response team under the guidance of the National Disaster Medical System, or under similar State or local auspices. | | | | | | | | | |
| | Note 1: Type I = fully operational; Type II = operational; Type III = augmentation/local team; Type IV = developmental. | | | | | | | | | |
| | | rd DMAT deploys with 35 person h), emergency medical technicia | | | es (RN), nurse practitioners (NP), | physicians' assistants (PA), | | | | |



| RESOURCE: | | Di | saster Medical Assista | nce Team (DMAT)- | -Burn Specialty | | | | |
|--------------------|---|---|---|---|--|---|--|--|--|
| CATEGORY: | Health & Me | dical (ESF #8) | | KIND: Team | | | | | |
| Μινιμυμ Ca | PABILITIES: | | Type II | | | | | | |
| COMPONENT | METRIC | ΤΥΡΕ Ι | | TYPE III | TYPE IV | OTHER | | | |
| Team See Note 1 | Deployment Readiness; Staffing; Equipment Status; Training Status; Patient Treatment Capacity | Deploy to site within 24 hrs. of notification with all necessary staff and equipment; Function for 72 hrs. in austere locations without resupply | Deploy to site within 24 hrs. of notification with all necessary staff; Function in existing fixed facility using facility's equipment and supplies (Note 2) | Personnel roster only; Ma be less than full complem | | | | | |
| Equipment | Logistics Status | Full complement | Limited to specialized items for burns | None | | | | | |
| Comments: | guidance of the 1 Note 1: Variable nurse practitione constituted on ar Note 2: Current | National Disaster Medicial Syster e number of personnel; includes i rs, physician's assistants, pharm n ad hoc basis, depending on situ | n (or state or local auspices), an medical providers with specialty acists, emergency medical tech uational need. | d whose personnel have sp training/skills in managemer nicans, other allied health pr | ate or region of a state, that have for ecific training/skills in the management of burn patients. Usually includes ofessionals and support staff. Deploy | ent of burn trauma patients. a mix of physicians, nurses, yment rosters are usually | | | |



| RESOURCE: | | Disast | ter Medical Assistance | Team (DMAT)—C | rush Injury Specialty | | | | |
|--------------------|---|---|---|--|-----------------------|-------|--|--|--|
| CATEGORY: | Health & Me | dical (ESF #8) | | KIND: | KIND: Team | | | | |
| MINIMUM CA | PABILITIES: | Түре І | Туре ІІ | Type III | Type IV | OTHER | | | |
| COMPONENT | METRIC | ITPEI | | I YPE III | IYPEIV | OTHER | | | |
| Team See Note 1 | Deployment Readiness; Staffing; Equipment Status; Training Status; Patient Treatment Capacity | Deploy to site within 24 hrs. of notification with all necessary staff and equipment; Function for 72 hrs. in austere locations without resupply | Deploy to site within 24 hrs. of notification with all necessary staff; Function in existing facility using facility's equipment and supplies See Note 2 | Personnel roster only; N be less than full comple | | | | | |
| Equipment | Logistics status | Full complement | Limited or none | None | | | | | |
| COMMENTS: | | | | | | | | | |



| RESOURCE: | | Disaste | er Medical Assistance | Team (DM | IAT)—M | ental | Health Specialty | |
|--------------------|--|---|---|---|-----------|-------|------------------|-------|
| CATEGORY: | Health & Me | edical (ESF #8) | | | KIND: | Tea | am | |
| MINIMUM CA | PABILITIES: | Түре І | T | т | YPE III | | TYPE IV | 0 |
| COMPONENT | METRIC | IYPEI | ΤΥΡΕ ΙΙ | ľ | TPE III | | IYPEIV | OTHER |
| Team See Note 1 | Deployment readiness; Staffing; Patient Treatment Capacity | Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply | Deploy to site within 24 hrs. of notification with all necessary staff Function in existing facility using facility's equipment and supplies See Note 2 | Personnel ro May be less complement | than full | | | |
| Equipment | Logistics Status | Full complement | Limited or none | None | | | | |
| COMMENTS: | A Mental Health Specialty DMAT is a volunteer group of medical and nonmedical individuals, usually from the same State or region of a State, who have formed a response team under the guidance of the National Disaster Medical System (or State or local auspices), and whose personnel have specific training/skills in the management of psychiatric patients. Note 1: Variable number of deploying personnel; includes medical providers with specialty training/skills in treating psychiatric patients. Usually includes a mix of physicians, nurses, nurse practitioners, physician's assistants, pharmacists, emergency medical technicians, other allied health professionals and support staff. Deployment rosters are usually constituted on an ad hoc basis, depending on situational need. Note 2: Current NDMS mental health teams are Type II. | | | | | | | |



| Disaster Medical Assistance Team (DMAT)—Pediatric Specialty | | | | | | | |
|--|--|---|--|--|--|---|--|
| Health & Me | dical (ESF #8) | | | KIND: | Теа | im | |
| PABILITIES: | | т | | | | OTHER | |
| METRIC | ITPEI | ITPEII | 11 | PEIII | | ITPEIV | OTHER |
| Deployment Readiness; Staffing; Patient Treatment Capacity | Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply | Deploy to site within 24 hrs. of notification with all necessary staff Function in existing facility using facility's equipment and supplies See Note 2 | May be less | than full | | | |
| Logistics status | Full complement | Limited to pediatric items or none | None | | | | |
| A Pediatric Specialty DMAT is a volunteer group of medical and nonmedical individuals, usually from the same State or region of a State, who have formed a response team under the guidance of the National Disaster Medical System (or State or local auspices), and whose personnel have specific training/skills in the management of pediatric patients. Note 1: Variable number of deploying personnel; includes medical providers with specialty training/skills in pediatrics and use of pediatric equipment. Usually includes a mix of physicians, nurses, nurse practitioners, physician's assistants, pharmacists, emergency medical technicians, other allied health professionals and support staff. Deployment rosters are usually constituted on an ad hoc basis, depending on situational need. | | | | | | | |
| | PABILITIES: METRIC Deployment Readiness; Staffing; Patient Treatment Capacity Logistics status A Pediatric Speci under the guidan patients. Note 1: Variable physicians, nurse rosters are usual | METRIC TYPE I Deployment Readiness; Staffing; Patient Treatment Capacity Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply Logistics status Full complement A Pediatric Specialty DMAT is a volunteer group of under the guidance of the National Disaster Media patients. Note 1: Variable number of deploying personnel; physicians, nurses, nurse practitioners, physician' rosters are usually constituted on an ad hoc basis | PABILITIES: TYPE I TYPE I METRIC Deploy to site within 24 hrs. of notification with all necessary staffing; Patient Treatment Capacity Deploy to site within 24 hrs. of notification with all necessary staff and equipment Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply Function in existing facility using facility's equipment and supplies Logistics Full complement Limited to pediatric items or none A Pediatric Specialty DMAT is a volunteer group of medical and nonmedical individuate the guidance of the National Disaster Medical System (or State or local aus patients. Note 1: Variable number of deploying personnel; includes medical providers with physicians, nurses, nurse practitioners, physician's assistants, pharmacists, emergrosters are usually constituted on an ad hoc basis, depending on situational need. | PABILITIES: TYPE I TYPE I TYPE II TYPE III TYPE II TYPE III TyPE III | PABILITIES: TYPE I TYPE II TYPE III Deployment Readiness; Staffing; Patient Treatment Capacity Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply Deploy to site within 24 hrs. of notification with all necessary staff Personnel roster only May be less than full complement and supplies Logistics status Full complement Function in existing facility's equipment and supplies None A Pediatric Specialty DMAT is a volunteer group of medical and nonmedical individuals, usually from the sa under the guidance of the National Disaster Medical System (or State or local auspices), and whose person patients. Note 1: Variable number of deploying personnel; includes medical providers with specialty training/skills in physicians, nurses, nurse practitioners, physician's assistants, pharmacists, emergency medical technicians rosters are usually constituted on an ad hoc basis, depending on situational need. | PABILITIES: TYPE I TYPE II TYPE III Deployment Readiness; Staffing; Patient Treatment Capacity Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply Deploy to site within 24 hrs. of notification with all necessary staff Personnel roster only May be less than full complement Logistics status Full complement Function in existing facility's equipment and supplies See Note 2 None A Pediatric Specialty DMAT is a volunteer group of medical and nonmedical individuals, usually from the same Status None A Pediatric Specialty DMAT is a volunteer group of medical and nonmedical individuals, usually from the same Status Note 1: Variable number of deploying personnel; includes medical providers with specialty training/skills in pediatt physicians, nurses, nurse practitioners, physician's assistants, pharmacists, emergency medical technicians, other rosters are usually constituted on an ad hoc basis, depending on situational need. | ABILITIES: TYPE I TYPE II TYPE II TYPE III TYPE IV Deployment Readiness; Staffing; Patient Treatment Capacity Deploy to site within 24 hrs. of notification with all necessary staff and equipment Function for 72 hrs. in austere locations without resupply Deploy to site within 24 hrs. of notification with all necessary staff Personnel roster only May be less than full complement Personnel roster only May be less than full complement Function for 72 hrs. in austere locations without resupply Function in existing facility using facility's equipment and supplies See Note 2 None Logistics status Full complement Limited to pediatric items or none None A Pediatric Specialty DMAT is a volunteer group of medical and nonmedical individuals, usually from the same State or region of a State, who have under the guidance of the National Disaster Medical System (or State or local auspices), and whose personnel have specific training/skills in the me patients. Note 1: Variable number of deploying personnel; includes medical providers with specialty training/skills in pediatrics and use of pediatric equipment physicians, nurses, nurse practitioners, physician's assistants, pharmacists, emergency medical technicians, other allied health professionals and s |



| RESOURCE: | | Di | saster Mortuary Oper | ational Response Tea | m (DMORT) | |
|-----------------------------|--|---|----------------------|----------------------|-----------|-------|
| CATEGORY: | Health & Me | edical (ESF #8) | | Кир: Те | am | |
| | PABILITIES: | Түре І | Түре II | | TYPE IV | 0 |
| COMPONENT | METRIC | ITPET | I YPE II | I YPE III | ITPEIV | OTHER |
| Standard Team See Note 1 | Deployment Readiness, Patient Treatment Capacity | Deploy to site within 24 hrs. of notification Provide on-site victim identification and morgue operations Provide family assistance services See Note 2 | | | | |
| WMD Team | Deployment Readiness, Patient Treatment Capacity | DMORT - WMD is the same as above except adds additional capability to deal with residually contaminated chemical, biological, or radiological dead | | | | |
| Personnel | DMORT functions | Add-on Deployable Portable Morgue Unit (DPMU) when no local morgue facilities available Fully equipped to support either standard DMORT or DMORT-WMD. See Note 3 | | | | |
| COMMENTS: | A Disaster Mortuary Operational Response Team is a volunteer group of medical and forensic personnel, usually from the same geographic region, who have formed a response team under the guidance of the National Disaster Medical System (or State or local auspices), and whose personnel have specific training/skills in victim identification, mortuary services, and forensic pathology and anthropology methods. Note 1: Standard DMORT has 31 personnel plus basic load of equipment. Usually includes a mix of medical examiners, coroners, pathologists, forensic anthropologists, medical records technicians, fingerprint technicians, forensic odentologists, dental assistants, radiologists, funeral directors, mental health professionals, and support personnel. Note 2: DMORTs are mission tailored on an ad hoc basis, and usually deploy only with personnel and equipment specifically required for current mission. Note 3: There are currently two Portable Morgue Units within NDMS. | | | | | |



| RESOURCE: | | l | nternational Medical S | urgical Response | Гeam (IMSuRT) | | | | |
|-----------------------|---|---|--|------------------|---------------|-------|--|--|--|
| CATEGORY: | Health & Me | dical (ESF #8) | | KIND: | KIND: Team | | | | |
| MINIMUM CAPABILITIES: | | Түре І | TYPE II | Type III | Type IV | OTHER | | | |
| COMPONENT | METRIC | ITPET | ITPEII | I TPE III | ITPEIV | OTHER | | | |
| Team See Note 1 | Deployment Readiness; Staffing; Patient Treatment Capacity | Able to begin deployment to OCONUS location within 3 hrs. of notification Staff 2 OR suites providing emergency surgery, treatment, and stabilization Usually deploys with all necessary equipment See Note 2 | Some mix of capabilities less than Type I | | | | | | |
| Equipment | Logistics | Fully equipped to provide free-standing surgical capability, etc. See Note 2 | Limited to none | | | | | | |
| COMMENTS: | | | | | | | | | |



| RESOURCE: | | | NDMS Managen | nent Suppor | t Tear | n (l | MST) | |
|-------------------------|---|---|--|-------------|--------|------|---------|-------|
| CATEGORY: | Health & Me | edical (ESF #8) | | k | (IND: | Т | eam | |
| MINIMUM CA | PABILITIES: | Type I | Type II | Түре | - 111 | | TYPE IV | |
| COMPONENT | METRIC | Түре І | I YPE II | IYPE | = 111 | | ITPEIV | OTHER |
| Personnel See Note 1 | Deployment Staffing Treatment Capacity | Deploy to site within 24 hrs. of notification Provide Federal supervision, coordination, and support at site of any NDMS team deployment, to include ambulatory care (sick call) for federal personnel See Note 2 | Deploy to site within 24 hrs. of notification with limited staff and communications equipment, but no tentage See Note 2 | | | | | |
| Equipment | Logistics | Full complement | Communication and administration only | | | | | |
| COMMENTS: | | | | | | | | |



| RESOURCE: | | | Veterinary Medica | I Assistance Tea | m (VMAT) | | | | |
|--------------------|---|---|--|------------------|------------|-------|--|--|--|
| CATEGORY: | Animals and | Agriculture Issues | | KIND: | KIND: Team | | | | |
| | PABILITIES: | | | | 0 | | | | |
| COMPONENT | METRIC | | I YPE II | I YPE III | ITPEIV | OTHER | | | |
| Team See Note 1 | Deployment Staffing Treatment Capacity | Deploy to site within 24 hrs. of notification Provide animal care, treatment, and shelter Food and water testing Basic epidemiologic capabilities See Note 2 | Some mix of capabilities less than Type I | | | | | | |
| Equipment | Logistics Status | Full complement | Limited or none | | | | | | |
| Comments: | Veterinary Medical Assistance Teams (VMATs) are volunteer teams of veterinarians, technicians, and support personnel, usually from the same region, who have organized a response team under the guidance of the American Veterinary Medical Association and the NDMS, and whose personnel have specific training in responding to animal casualties and/or animal disease outbreaks during a disaster. Note 1: 60 personnel plus equipment. Usually includes a mix of veterinarians, veterinary technicians, support personnel, microbiologists, epidemiologists, and veterinary pathologists. Note 2: VMATs are usually mission tailored on an ad hoc basis, and usually deploy only with personnel and equipment specifically required for the current mission. All VMATs within NDMS are considered Type 1. Epidemiologic capabilities are limited. | | | | | | | | |